

<b>Notice of References Cited</b>	Application/Control No. 10/642,638	Applicant(s)/Patent Under Reexamination LEVIN ET AL.	
	Examiner Leslie R. Deak	Art Unit 3762	Page 1 of 1

**U.S. PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-4,861,485	08-1989	Fecondini, Luciano	210/641
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

**FOREIGN PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

**NON-PATENT DOCUMENTS**

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Gouyon JB, Francoise M, Semama DS, Prevot A, d'Athis P, and C. Lallemand. Urea removal by neonatal hemo(dia)filters in hyperazotemic rabbits. Intensive Care Medicine 23:6, p 677-683, 1997. Abstract only.
	V	Pump-assisted renal replacement therapies. Webpage from www.hospal.com, showing slow continuous ultrafiltration with Miniflow 10 with inlet and outlet.
	W	Miniflow 10. Page with picture showing size and specifications, including membrane surface area, from www.hospal.com.
	X	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)  
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.